Journal of

POLYMER SCIENCE

VOLUME VI • 1951

Editorial Board: W. T. ASTBURY • P. M. DOTY • H. MARK

Advisory Board:

P. D. BARTLETT *Cambridge, Mass.*	C. S. FULLER *Summit, N. J.*	H. W. MELVILLE *Birmingham*
C. W. BUNN *Welwyn Garden City*	MILTON HARRIS *Washington, D. C.*	K. H. MEYER *Geneva*
S. CLAESSON *Uppsala*	J. J. HERMANS *Brooklyn, N. Y.*	G. NATTA *Milan*
P. DEBYE *Ithaca, N. Y.*	P. H. HERMANS *Utrecht*	C. C. PRICE *Notre Dame, Ind.*
V. DESREUX *Liége*	R. HOUWINK *Delft*	E. K. RIDEAL *London*
A. DOBRY *Paris*	M. L. HUGGINS *Rochester, N. Y.*	CH. SADRON *Strasbourg*
M. G. EVANS *Manchester*	I. M. KOLTHOFF *Minneapolis, Minn.*	R. SIGNER *Berne*
E. H. FARMER *Welwyn Garden City*	O. KRATKY *Graz*	G. SMETS *Louvain*
P. J. FLORY *Ithaca, N. Y.*	W. KUHN *Basel*	H. M. SPURLIN *Wilmington, Del.*
R. M. FUOSS *New Haven, Conn.*	M. MAGAT *Paris*	J. C. SWALLOW *Welwyn Garden City*
K. FREUDENBERG *Heidelberg*	C. S. MARVEL *Urbana, Ill.*	G. S. WHITBY *Akron, Ohio*

INTERSCIENCE PUBLISHERS, INC.

Copyright, 1951, by Interscience Publishers, Inc.

CONTENTS

Vol. VI, Nos. 1–6, 1951

Journal of Polymer Science

NUMBER 1, JANUARY

CRAIG, D., DAVIDSON, W. L., JUVE, A. E., and GEIB, I. G.: Tetramethylthiuram Disulfide Vulcanization of Extracted Rubber. II. Structure of Radioactive Tetramethylthiuram Disulfide.... 1

CRAIG, D., JUVE, A. E., and DAVIDSON, W. L.: Tetramethylthiuram Disulfide Vulcanization of Extracted Rubber. III. Short-Path Distillation of TMTD and Its Reaction Products from Rubber. 7

CRAIG, D., JUVE, A. E., and DAVIDSON, W. L.: Tetramethylthiuram Disulfide Vulcanization of Extracted Rubber. IV. Behavior of Rubber as an Acid..... 13

MASSON, C. R., and MELVILLE, H. W.: Modified Osmotic Balance. 21

VAN VEERSEN, G. J.: Preparation of Cyclized Rubber from Natural Rubber Latex..... 29

CALVET, E., and HERMANS, P. H.: Heat of Crystallization of Cellulose..... 33

SIMHA, R., and WALL, L. A.: Some Aspects of Depolymerization Kinetics..... 39

WICKLATZ, J. E., KENNEDY, T. J., and REYNOLDS, W. B.: Hydroperoxides as Initiators of Emulsion Polymerizations at Low Temperatures..... 45

FRYLING, C. F., and FOLLETT, A. E.: New Oxidants for Initiation of Emulsion Polymerization in Antifreeze Recipes at −10°C..... 59

KOLTHOFF, I. M., MEEHAN, E. J., and CARR, C. W.: Studies on Rate of Emulsion Polymerization of Butadiene-Styrene (75:25) as a Function of Amount and Kind of Emulsifier Used. III. Effect of Amount of Soap on Rate of Polymerization..... 73

MARVEL, C. S., and KEPLINGER, O.: Copolymerization of Butadiene-Styrene by Means of an Oxygen, Dodecyl Mercaptan, and Iron and Cobalt Pyrophosphates System..... 83

KOLTHOFF, I. M., MEDALIA, A. I., and YOUSE, M.: Redox Recipes. III. Use of Various Sugars at 0° and 30°C. in a Cumene Hydroperoxide-Iron-Sugar Recipe..... 93

PRICE, C. C., and GREENE, C. E.: Copolymerization of Phenylacetylene with Vinylpyridine..... 111

MORAWETZ, H.: Measurement of Molecular Weight of Polyethylene by Menzies-Wright Boiling Point Elevation Method..... 117

GROSS, B.: Relations Between Creep Function and Relaxation Function (Letter to the Editors)..... 123

EDWARDS, G. A., and GOLDFINGER, G.: Influence of a Magnetic Field on the Viscosity of Polyphenyl (Letter to the Editors)..... 125

NUMBER 2, FEBRUARY

MARVEL, C. S., and BAUMGARTEN, H. E.: Polyalkylene Sulfides with Rubberlike Properties..... 127
KATCHALSKY, A., and EISENBERG, H.: Molecular Weight of Polyacrylic and Polymethacrylic Acid..... 145
HEILIGMANN, R. G.: Ionic Polymerization of Mono-olefinic Hydrocarbons at Low Temperature. Characterization of the Alpha-Methylstyrene–Sulfuric Acid System..... 155
BROWN, G. M., and TOBOLSKY, A. V.: Elastoviscous Properties of Polyisobutylene. II. Relaxation of Stress in Whole Polymers of Different Molecular Weights at Low Temperatures..... 165
CRAIG, D., DAVIDSON, W. L., and JUVE, A. E.: Tetramethylthiuram Disulfide Vulcanization of Extracted Rubber. V. Low Molecular Products and the Mechanism of Zinc Oxide Activation..... 177
KOLTHOFF, I. M., and MEDALIA, A. I.: Redox Recipes. IV. Dihydroxyacetone Recipes at 0°C..... 189
KOLTHOFF, I. M., and MEDALIA, A. I.: Redox Recipes. V. The Redox System, Ferrous Sulfide–Cumene Hydroperoxide..... 209
MORTON, M., and SALATIELLO, P. P.: Cross-Linking Reaction in Butadiene Polymerization..... 225
PRICE, C. C., and WALSH, J. G.: Effect of Dielectric Solvent Medium on Copolymerization..... 239
FRANK, H. P., and MARK, H.: Osmotic Measurements on Polystyrene Solutions (Letter to the Editors)..... 243
KAUFMAN, H. S., and MUTHANA, M. S.: Molecular Weight of Polytrifluorochloroethylene by High Temperature Osmometry (Letter to the Editors)..... 251
TER HAAR, D.: An Easy Approximate Method of Determining the Relaxation Spectrum of a Viscoelastic Material (Letter to the Editors)..... 247
POLYMER NEWS..... 252
REVIEWS..... 253

NUMBER 3, MARCH

MEEHAN, E. J.: Calculation of Distribution of Molecular Weight of GR-S from Viscosity and Mercaptan Consumption Data..... 255
MERCER, E. H., and OLOFSSON, BERTIL: Sedimentation Analysis of an Extract of the Prekeratinous Layers of Skin..... 261
BOLDUAN, ORVIL E. A., and BEAR, RICHARD S.: General Nature of the Extension of Structure Transverse to Collagen Fibril Axes.. 271
SIPS, ROBERT: Propagation Phenomena in Elastic-Viscous Media.. 285
PALIT, SANTI R., COLOMBO, G., and MARK, H.: Osmotic, Viscometric, and Turbidity Studies of Polystyrene in Mixed Solvents..... 295
FUOSS, RAYMOND M., and MACLAY, WILLIAM N.: Polyelectrolytes. VI. Viscosities of 4-Polyvinylpyridine Hydrochloride in Methanol at 25°..... 305
SZWARC, M.: New Monomers of the Quinoid Type and Their Polymers..... 319

ZAPP, R. L., DECKER, R. H., DYROFF, MARGARET S., and RAYNER, HARRIET A.: Stoichiometry of Vulcanization with Sulfur..... 331
MARVEL, C. S., and BLUESTEIN, BERNARD R.: Synthesis of Mixed Cellulose Esters Containing Phosphorus..... 351
BRYANT, W. M. D.: Free Energies of Formation of Hydrocarbon Free Radicals. I. Application to the Mechanism of Polythene Synthesis..... 359
PHILIPP, HOWARD J.: New Dynamic Method for Osmotic Pressure Measurements..... 371
REVIEW..... 381

NUMBER 4, APRIL

PHILIPP, HOWARD J., and BJORK, CAROLD F.: Role of the Semipermeable Membrane in the Osmotic Molecular Weight Determination of Cellulose Acetate..... 383
RICHARDS, R. B.: Oriented Overgrowth on Cold-Drawn Polymers.. 397
BUCHDAHL, R., NIELSEN, L. E., and MERZ, E. H.: Rheology of Thermoplastics. II. Recoverable and Nonrecoverable Deformations of Polystyrene between 90 and 240°C. as a Function of Molecular Weight..... 403
MEDALIA, A. I.: Structure and Thermodynamics of Elastomeric Microgel..... 423
MEDALIA, A. I., and KOLTHOFF, I. M.: Determination of Microgel in GR-S Rubber..... 433
MANDELKERN, LEO, and LONG, F. A.: Rate of Sorption of Organic Vapors by Films of Cellulose Acetate..... 457
VAN AMERONGEN, G. J.: Solubility of Crystallized Polymers..... 471
JIRGENSONS, B.: Denaturation of Plant Proteins. IV. Increase in Reducing Capacity, Viscosity, and Optical Rotation upon Denaturation with Guanidine Hydrochloride..... 477
MARVEL, C. S., GILKEY, R., MORGAN, C. R., NOTH, J. F., RANDS, JR., R. D., and YOUNG, CHARLES H.: Cationic Polymerization of Butadiene and Copolymerization of Butadiene and Styrene.... 483
GRALÉN, NILS, and BERG, STIG: Treatment of Wood with Ultrasonic Waves..... 503
SIPPEL, A.: Bemerkung zu der Publikation von H. H. G. Jellinek in dieser Zeitschrift, Vol. 5, 264 (1950) (Letter to the Editors).... 509

NUMBER 5, MAY

MACLAY, WILLIAM N., and FUOSS, RAYMOND M.: Polyelectrolytes. VII. Viscosities of Derivatives of Poly-2-vinylpyridine..... 511
FUOSS, RAYMOND M., and EDELSON, DAVID: Polyelectrolytes. VIII. Quaternized Polyesters of Succinic Anhydride and Methyldiethanolamine..... 523
HERMANS, P. H., and WEIDINGER, A.: Crystallinity of Celluloses after Treatment with Sodium Hydroxide (Mercerization)..... 533
OVERBERGER, C. G., FRAM, PAUL, and ALFREY, JR., TURNER: Azo-bis Nitriles. II. Use of 2,2′-Azo-bis-isobutyronitrile as a Catalyst for the Polymerization of Styrene..... 539
PHILIPP, HOWARD J., and BJORK, CAROLD F.: Viscosity–Molecular Weight Relationship for Cellulose Acetate in Acetone..... 549

KOLTHOFF, I. M., and FERSTANDIG, LOUIS L.: Electrolytic Initiation of Polymerization 563
ENOKSSON, BERTIL: Some Improvements on the Osmotic Balance .. 575
GILBERT, G. A., GRAFF-BAKER, C., and GREENWOOD, C. T.: Determination of Molecular Weight of High Polymers by Measurement of Osmotic Pressures at Low Concentrations 585
ECOCHARD, F.: Propriétés de Dilatation Thermique des Polyamides 601
FRANK, H. P., and BREITENBACH, J. W.: Influence of Molecular Weight Distribution on the Intrinsic Viscosity–Molecular Weight Relationship 609
HAMMOND, GEORGE S., and BARTLETT, PAUL D.: Polymerization of Allyl Compounds. V. Inhibition by Nitro Compounds 617
KRAUS, GERARD, and MANSON, JAMES E.: Adhesion of Polyethylene and Polystyrene to Steel 625
VAN AMERONGEN, G. J.: Sulfonation of Natural Rubber 633
GRASSIE, N.: Determination of the Concentration of High Polymer Solutions 643
STRAUSS, ULRICH P., and JACKSON, EARL G.: Polysoaps. I. Viscosity and Solubilization Studies on an *n*-Dodecyl Bromide Addition Compound of Poly-2-vinylpyridine 649
NIELSEN, L. E., POLLARD, R. E., and MCINTYRE, E.: Transition Temperatures of Plasticized Material and Copolymer Systems. 661
BALAZS, E. A., and LAURENT, T. C.: Viscosity Function of Hyaluronic Acid as a Polyelectrolyte (Letter to the Editors) 665
KRIMM, S., and TOBOLSKY, A. V.: X-Ray Pattern of Polystyrene as a Function of Temperature (Letter to the Editors) 667
REVIEW 669

NUMBER 6, JUNE

MERCER, E. H., and OLOFSSON, B.: Sedimentation and Diffusion Studies on a Derivative of Wool Keratin 671
YANG, P. T., and GUILE, R. L.: Emulsion Polymerization of Styrene. I. A Reproducible System 681
SHUNMUKHAM, S. R., HALLENBECK, V. L., and GUILE, R. L.: Emulsion Polymerization of Styrene. II. Effect of Agitation 691
PRIEST, W. J.: Swelling of Polyvinyl Alcohol in Water 699
MARVEL, C. S., and MARKHART, A. H., JR.: Polyalkylene Sulfides. VI. New Polymers Capable of Cross-Linking 711
MARVEL, C. S., and ROBERTS, C. W.: Polyalkylene Sulfides. VIII. Polymers from 4-Vinylcyclohexene 717
GEORGE, JOSEPH, and WECHSLER, HARRY: Friedel-Crafts Polymerizations. III. Medium Effects in the Friedel-Crafts Polymerization of Styrene 725
MARVEL, C. S., and MEINHARDT, N. A.: Copolymerization of Butadiene and Styrene in the Oxygen-1-alkanesulfinic Acid System .. 733
JELLINEK, H. H. G., and WHITE, G.: The Degradation of Long-Chain Molecules by Ultrasonic Waves. I. Theoretical 745
JELLINEK, H. H. G., and WHITE, G.: The Degradation of Long-Chain Molecules by Ultrasonic Waves. II. Degradation of Polystyrene 757
FUOSS, RAYMOND M., and EDELSON, DAVID: Polyelectrolytes. IX. Light Scattering from Solutions of Poly-4-vinyl-*N*-*n*-butylpyridinium Bromide 767
POWERS, P. O., and AUSTIN, A. E.: Letter to the Editors 775

MARVEL, C. S., MCCORKLE, JOHN E., FUKUTO, TETSUO ROY, AND WRIGHT, JOHN C.: Copolymers of Benzalacetophenone (Letter to the Editors) 776
LEWIS, CHARLES W.: The Unreactivity of Coumarin in Copolymerization (Letter to the Editors) 777
WARD, KYLE, JR., and REEVES, RICHARD E.: Heat of Crystallization of Cellulose (Letter to the Editors) 778
REVIEWS 779

AUTHOR INDEX

Alfrey, Turner, Jr.: see Overberger, C. G.

Austin, A. E.: see Powers, P. O.

Balazs, E. A., and Laurent, T. C.: Letter to the Editors. Viscosity function of hyaluronic acid as a polyelectrolyte, 665

Bartlett, Paul D.: see Hammond, George S.

Baumgarten, Henry E.: see Marvel, C. S.

Bear, Richard, S.: see Bolduan, Orvil E. A.

Berg, Stig: see Gralén, Nils

Bjork, Carold F.: see Philipp, Howard J.

Bluestein, R.: see Marvel, C. S.

Bolduan, Orvil E. A., and Bear, Richard S.: General nature of the extension of structure transverse to collagen fibril axes, 271

Breitenbach, J. W.: see Frank, H. P.

Brown, George M., and Tobolsky, Arthur V.: Elastoviscous properties of polyisobutylene. II. Relaxation of stress in whole polymers of different molecular weights at low temperatures, 165

Bryant, W. M. D.: Free energies of formation of hydrocarbon free radicals. I. Application to the mechanism of polythene synthesis, 359

Buchdahl, R., Nielsen, L. E., and Merz, E. H.: Rheology of thermoplastics. II. Recoverable and nonrecoverable deformations of polystyrene between 90 and 240°C. as a function of molecular weight, 403

Calvet, E., and Hermans, P. H.: Heat of crystallization of cellulose, 33

Carr, C. W.: see Kolthoff, I. M.

Carswell, T. S.: Review. Chemie der Phenolharze, 780

Colombo, G.: see Palit, Santi R.

Craig, David, Davidson, W. L., Juve, A. E., and Geib, I. G.: Tetramethylthiuram disulfide vulcanization of extracted rubber. II. Structure of radioactive tetramethylthiuram disulfide, 1

——, Davidson, W. L., and Juve, A. E.: Tetramethylthiuram disulfide vulcanization of extracted rubber. III. Short-path distillation of TMTD and its reaction products from rubber, 7

——, Davidson, W. L., and Juve, A. E.: Tetramethylthiuram disulfide vulcanization of extracted rubber. IV. Behavior of rubber as an acid, 13

——, Davidson, W. L., and Juve, A. E.: Tetramethylthiuram disulfide vulcanization of extracted rubber. V. Low molecular products and mechanism of zinc oxide activation, 177

Davidson, W. L.: see Craig, David

Decker, R. H.: see Zapp, R. L.

Dyroff, Margaret S.: see Zapp, R. L.

Ecochard, F.: Propriétés de dilatation thermique des polyamides, 601

Edelson, David: see Fuoss, Raymond M.

Edwards, Gerald A., and Goldfinger, George: Letter to the Editors. Influence of a magnetic field on the viscosity of polyphenyl, 125

Eirich, F. R.: Review. Proceedings of the international colloquium on macromolecules, Amsterdam, 1949, 253

Eisenberg, H.: see Katchalsky, H.

Enoksson, Bertil: Some improvements on the osmotic balance, 575

Follett, Archie E.: see Fryling, Charles F.

Fram, Paul: see Overberger, C. G.

Frank, H. P., and Breitenbach, J. W.: Influence of molecular weight distribution on the intrinsic viscosity–molecular weight relationship, 609

——, and Mark, H.: Letter to the Editors. Osmotic measurements on polystyrene solutions, 243

——, Review. Praktikum der Kolloidchemie, 780

Fryling, Charles F., and Follett, Archie E.: New oxidants for initiation of emulsion polymerization in antifreeze recipes at −10°C., 59

Fukuto, Tetsuo Roy: see Marvel, C. S.

Fuoss, Raymond M., and Edelson, David: Polyelectrolytes. VIII. Quaternized polyesters of succinic anhydride and methyldiethanolamine, 523; IX. Light scattering from solutions of poly-4-vinyl-*N*-*n*-butylpyridinium bromide ,767

——, and Maclay, William N.: Polyelectrolytes. VI. Viscosities of 4-polyvinylpyridine hydrochloride in methanol at 25°, 305

Geib, I. G.: see Craig, David

George, Joseph, and Wechsler, Harry: Friedel-Crafts polymerizations. III. Medium effects in the Friedel-Crafts polymerization of styrene, 725

Gilbert, G. A., Graff-Baker, C., and Greenwood, C. T.: Determination of molecular weight of high polymers by measurement of osmotic pressures at low concentrations, 585

Gilkey, R.: see Marvel, C. S.

Goldfinger, George: see Edwards, Gerald A.

Graff-Baker, C.: see Gilbert, G. A.

Gralén, Nils, and Berg, Stig: Treatment of wood with ultrasonic waves, 503

Grassie, N.: Determination of the concentration of high polymer solutions, 643

Greene, Charles E.: see Price, Charles C.

Greenwood, C. T.: see Gilbert, G. A.

Gross, B.: Letter to the Editors. Relation between creep function and relaxation function, 123

Guile, R. L.: see Shunmukham, S. R.
——: see Yang, P. T.
Hallenbeck, V. L.: see Shunmukham, S. R.
Hammond, George S., and Bartlett, Paul D.: Polymerization of allyl compounds. V. Inhibition by nitro compounds, 617
Harris, Milton: Review. Introduction to textile chemistry, 779
Heiligmann, Randall G.: Ionic polymerization of mono-olefinic hydrocarbons at low temperature. Characterization of the alpha-methylstyrene–sulfuric acid system, 155
Hermans, P. H.: see Calvet, E.
——, and Weidinger, A.: Crystallinity of celluloses after treatment with sodium hydroxide (mercerization), 533
Jackson, Earl G.: see Strauss, Ulrich P.
Jellinek, H. H. G., and White, G.: The degradation of long-chain molecules by ultrasonic waves. I. Theoretical, 745
——, and White, G.: The degradation of long-chain molecules by ultrasonic waves. II. Degradation of polystyrene, 757
Jirgensons, B.: Denaturation of plant proteins. IV. Increase in reducing capacity, viscosity, and optical rotation upon denaturation with guanidine hydrochloride, 477
Juve, A. E.: see Craig, David
Katchalsky, A., and Eisenberg, H.: Molecular weight of polyacrylic and polymethacrylic acid, 145
Kaufman, H. S., and Muthana, M. S.: Letter to the Editors. Molecular weight of polytrifluorochloroethylene by high temperature osmometry, 251
Kennedy, T. J.: see Wicklatz, J. E.
Keplinger, O.: see Marvel, C. S.
Kolthoff, I. M.: see Medalia, A. I.
——, and Ferstandig, Louis L.: Electrolytic Initiation of polymerization, 563
——, and Medalia, A. I.: Redox recipes. IV. Dihydroxyacetone recipes at 0°C., 189
——, and Medalia, A. I.: Redox recipes. V. The Redox system, ferrous sulfide–cumene hydroperoxide, 209
——, Medalia, A. I., and Youse, Madolyn: Redox recipes. III. Use of various sugars at 0° and 30°C. in a cumene hydroperoxide-iron-sugar recipe, 93
——, Meehan, E. J., and Carr, C. W.: Studies on rate of emulsion polymerization of butadiene-styrene (75:25) as a function of amount and kind of emulsifier used. III. Effect of amount of soap on rate of polymerization, 73
Kraus, Gerard, and Manson, James E.: Adhesion of polyethylene and polystyrene to steel, 625
Krimm, Samuel, and Tobolsky, Arthur V.: Letter to the Editors. X-ray pattern of polystyrene as a function of temperature, 667
Laurent, T. C.: see Balazs, E. A.
Lewis, Charles W.: Letter to the Editors. The unreactivity of coumarin in copolymerization, 777
Long, F. A.: see Mandelkern, Leo
Maclay, William N.: see Fuoss, Raymond M.
——, and Fuoss, Raymond M.: Polyelectrolytes. VII. Viscosities of derivatives of poly-2-vinylpyridine, 511
Mandelkern, Leo, and Long, F. A.: Rate of sorption of organic vapors by films of cellulose acetate, 457
Manson, James E.: see Kraus, Gerard
Mark, H.: see Frank, H. P.
——: see Palit, Santi R.
Markhart, A. H., Jr.: see Marvel, C. S.
Marvel, C. S., and Baumgarten, Henry E.: Polyalkylene sulfides with rubberlike properties, 127
——, and Bluestein, Bernard R.: Synthesis of mixed cellulose esters containing phosphorus, 351
——, Gilkey, R., Morgan, C. R., Noth, J. F., Rands, R. D., Jr., and Young, Charles H.: Cationic polymerization of butadiene and copolymerization of butadiene and styrene, 483
——, and Keplinger, O.: Copolymerization of butadiene-styrene by means of an oxygen, dodecyl mercaptan, and iron and cobalt pyrophosphates system, 83
——, and Markhart, A. H., Jr.: Polyalkylene sulfides. VI. New polymers capable of cross-linking, 711
——, McCorkle, John E., Fukuto, Tetsuo Roy, and Wright, John C.: Letter to the Editors. Copolymers of benzalacetophenone, 778
——, and Meinhardt, N. A.: Copolymerization of butadiene and styrene in the oxygen-1-alkanesulfinic acid system, 733
——, and Roberts, C. W.: Polyalkylene sulfides. VIII. Polymers from 4-vinylcyclohexene, 717
Masson, C. R., and Melville, H. W.: Modified osmotic balance, 21
McCorkle, John E.: see Marvel, C. S.
McIntyre, Elizabeth: see Nielsen, Lawrence E.
Medalia, A. I.: Structure and thermodynamics of elastomeric microgel, 423
——, and Kolthoff, I. M.: Determination of microgel in GR-S rubber, 433
——: see Kolthoff, I. M.
Meehan, E. J.: Calculation of distribution of molecular weight of GR-S from viscosity and mercaptan consumption data, 255
——: see Kolthoff, I. M.
Meinhardt, N. A.: see Marvel, C. S.
Melville, H. W.: see Masson, C. R.
Mercer, E. H., and Olofsson, Bertil: Sedimentation analysis of an extract of the prekeratinous layers of skin, 261
——, and ——: Sedimentation and diffusion studies on a derivative of wool keratin, 671

Merz, E. H.: see Buchdahl, R.
Morawetz, H.: Measurement of molecular weight of polyethylene by Menzies-Wright boiling point elevation method, 117
Morgan, C. R.: see Marvel, C. S.
Morton, Maurice, and Salatiello, Peter P.: Cross-linking reaction in butadiene polymerization, 225
Muthana, M. S.: see Kaufman, H. S.
Nielsen, Lawrence E.: see Buchdahl, R.
——, Pollard, Robert E., and McIntyre, Elizabeth: Transition temperatures of plasticized material and copolymer systems, 661
Noth, J. F.: see Marvel, C. S.
Olofsson, Bertil: see Mercer, E. H.
Overberger, C. G., Fram, Paul, and Alfrey, Turner, Jr.: Azo-bis nitriles. II. Use of 2,2′-azo-bis-isobutyronitrile as a catalyst for the polymerization of styrene, 539
Palit, Santi R., Colombo, G., and Mark, H.: Osmotic, viscometric, and turbidity studies of polystyrene in mixed solvents, 295
Philipp, Howard J.: New dynamic method for osmotic pressure measurements, 371
——, and Bjork, Carold F.: Role of the semipermeable membrane in the osmotic molecular weight determination of cellulose acetate, 383
——, and Bjork, Carold F.: Viscosity-molecular weight relationship for cellulose acetate in acetone, 549
Pollard, Robert E.: see Nielsen, Lawrence E.
Powers, P. O., and Austin, A. E.: Letter to the Editors, 775
Price, Charles C., and Greene, Charles E.: Copolymerization of phenylacetylene with vinylpyridine, 111
——, and Walsh, Joseph G.: Effect of dielectric solvent medium on copolymerization, 239
Priest, W. J.: Swelling of polyvinyl alcohol in water, 699
Rands, R. D., Jr.: see Marvel, C. S.
Ray, Jr., L. G.: Review. The physical chemistry of dyeing, 779
Rayner, Harriet A.: see Zapp, R. L.
Reeves, Richard E.: see Ward, Kyle, Jr.
Reynolds, W. B.: see Wicklatz, J. E.
Richards, R. B.: Oriented overgrowth on cold-drawn polymers, 397
Roberts, C. W.: see Marvel, C. S.
Salatiello, Peter P.: see Morton, Maurice
Seidl, Robert J.: Review. Paper base laminates, 669
Shunmukham, S. R., Hallenbeck, V. L., and Guile, R. L.: Emulsion polymerization of styrene. II. Effect of agitation, 691
Simha, Robert, and Wall, L. A.: Some aspects of depolymerization kinetics, 39
Sippel, A.: Letter to the Editors. Bemerkung zu der Publikation von H. H. G. Jellinek in dieser Zeitschrift, Vol. 5, 264 (1950), 509
Sips, Robert: Propagation phenomena in elastic-viscous media, 285
Strauss, Ulrich P., and Jackson, Earl G.: Polysoaps. I. Viscosity and solubilization studies on an *n*-dodecyl bromide addition compound of poly-2-vinylpyridine, 649
Szwarc, M.: New monomers of the quinoid type and their polymers, 319
ter Haar, D.: Letter to the Editors. An easy approximate method of determining the relaxation spectrum of a viscoelastic material, 247
Tobolsky, Arthur V.: see Brown, George M.
Van Amerongen, G. J.: Solubility of crystallized polymers, 471
——: Sulfonation of natural rubber, 633
Van Veersen, G. J.: Preparation of cyclized rubber from natural rubber latex, 29
Wall, L. A.: see Simha, Robert
Walsh, Joseph G.: see Price, Charles C.
Ward, Kyle, Jr., and Reeves, Richard E.: Letter to the Editors, Heat of crystallization of cellulose, 778
Wechsler, Harry: see George, Joseph
White, G.: see Jellinek, H. H. G.
Wicklatz, J. E., Kennedy, T. J., and Reynolds, W. B.: Hydroperoxides as initiators of emulsion polymerizations at low temperatures, 45
Williams, J. W.: Review, Advances in colloid science, Vol. III, 381
Wolfrom, M. L.: Review. Chemistry and industry of starch, 254
Wright, John C.: see Marvel, C. S.
Yang, P. T., and Guile, R. L.: Emulsion polymerization of styrene. I. A reproducible system, 681
Young, Charles H.: see Marvel, C. S.
Youse, Madolyn: see Kolthoff, I. M.
Zapp, R. L., Decker, R. H., Dyroff, Margaret S., and Rayner, Harriet, A.: Stoichiometry of vulcanization with sulfur, 331

SUBJECT INDEX

Analytical Techniques, Physical

Determination of the concentration of high polymer solutions, N. Grassie, 643

Elastoviscous properties of polyisobutylene. II. Relaxation of stress in whole polymers of different molecular weights at low temperatures, G. M. Brown and A. V. Tobolsky, 165

Measurement of molecular weight of polyethylene by Menzies-Wright boiling point elevation method, H. Morawetz, 117

Modified osmotic balance, C. R. Masson and H. W. Melville, 21

New dynamic method for osmotic pressure measurements, Howard J. Philipp, 371

Role of the semipermeable membrane in the osmotic molecular weight determination of cellulose acetate, Howard J. Philipp and Carold F. Bjork, 383

Some improvements on the osmotic balance, Bertil Enoksson, 575

Tetramethylthiuram disulfide vulcanization of extracted rubber. III. Short-path distillation of TMTD and its reaction products from rubber, D. Craig, A. E. Juve, and W. L. Davidson, 7

Cellulose and Cellulose Derivatives

Crystallinity of cellulose after treatment with sodium hydroxide (mercerization), P. H. Hermans and A. Weidinger, 533

Heat of crystallization of cellulose, E. Calvet and P. H. Hermans, 33

Heat of crystallization of cellulose. *Letter to the Editors*, Kyle Ward, Jr., and Richard E. Reeves, 778

Rate of sorption of organic vapors by films of cellulose acetate, Leo Mandelkern and F. A. Long, 457

Synthesis of mixed cellulose esters containing phosphorus, C. S. Marvel and Bernard R. Bluestein, 351

Viscosity–molecular weight relationship for cellulose acetate in acetone, Howard J. Philipp and Carold F. Bjork, 549

Chemical Reactions of Polymers

Cross-linking reaction in butadiene polymerization, M. Morton and P. P. Salatiello, 225

Preparation of cyclized rubber from natural rubber latex, G. J. Van Veersen, 29

Synthesis of mixed cellulose esters containing phosphorus, C. S. Marvel and Bernard R. Bluestein, 351

Tetramethylthiuram disulfide vulcanization of extracted rubber. III. Short-path distillation of TMTD and its reaction products from rubber, D. Craig, A. E. Juve, and W. L. Davidson, 7

Tetramethylthiuram disulfide vulcanization of extracted rubber. V. Low molecular products and mechanism of zinc oxide activation, D. Craig, W. L. Davidson, and A. E. Juve, 177

Copolymerization (see Polymerization)

Copolymerization of butadiene-styrene by means of an oxygen, dodecyl mercaptan and iron and cobalt pyrophosphates system, C. S. Marvel and O. Keplinger, 83

Copolymerization of butadiene and styrene in the oxygen-1-alkanesulfinic acid system, C. S. Marvel and N. A. Meinhardt, 733

Copolymerization of phenylacetylene with vinylpyridine, C. C. Price and C. E. Greene, 111

Copolymers of benzalacetophenone. *Letter to the Editors*, C. S. Marvel, John E. McCorkle, Tetsuo Roy Fukuto, and John C. Wright, 776

Effect of dielectric solvent medium on copolymerization, C. C. Price and J. G. Walsh, 239

Redox recipes. III. Use of various sugars at 0° and 30°C. in a cumene hydroperoxide-iron-sugar recipe, I. M. Kolthoff, A. I. Medalia, and M. Youse, 93

Studies on rate of emulsion polymerization of butadiene-styrene (75:25) as a function of amount and kind of emulsifier used. III. Effect of amount of soap on rate of polymerization, I. M. Kolthoff, E. J. Meehan, and C. W. Carr, 73

The unreactivity of coumarin in copolymerization. *Letter to the Editors*, C. W. Lewis, 777

Degradation

Bemerkung zu der Publikation von H. H. G. Jellinek in dieser Zeitschrift, Vol. 5, 264 (1950). *Letter to the Editors*, A. Sippel, 509

Some aspects of depolymerization kinetics, R. Simha and L. A. Wall, 39

Tetramethylthiuram disulfide vulcanization of extracted rubber. III. Short-path distillation of TMTD and its reaction products from rubber, D. Craig, A. E. Juve, and W. L. Davidson, 7
The degradation of long-chain molecules by ultrasonic waves. I. Theoretical, H. H. G. Jellinek and G. White, 745
The degradation of long-chain molecules by ultrasonic waves. II. Degradation of polystyrene, H. H. G. Jellinek and G. White, 757

Fibers

General nature of the extension of structure transverse to collagen fibril axes, Orvil E. A. Bolduan and Richard S. Bear, 271
Oriented overgrowth on cold-drawn polymers, R. B. Richards, 397
Sedimentation and diffusion studies on a derivative of wool keratin, E. H. Mercer and Bertil Olofsson, 671

Mechanical Properties and the Solid State

Adhesion of polyethylene and polystyrene to steel, Gerard Kraus and James E. Manson, 625
An easy approximate method of determining the relaxation spectrum of a viscoelastic material. *Letter to the Editors*, D. ter Haar, 247
Elastoviscous properties of polyisobutylene. II. Relaxation of stress in whole polymers of different molecular weights at low temperatures, G. M. Brown and A. V. Tobolsky, 165
Oriented overgrowth on cold-drawn polymers, R. B. Richards, 397
Propagation phenomena in elastic-viscous media, Robert Sips, 285
Relations between creep function and relaxation function. *Letter to the Editors*, B. Gross, 123
Rheology of thermoplastics. II. Recoverable and nonrecoverable deformations of polystyrene between 90 and 240°C. as a function of molecular weight, R. Buchdahl, L. E. Nielsen, and E. H. Merz, 403
Transition temperatures of plasticized material and copolymer systems, L. E. Nielsen, R. E. Pollard, and E. McIntyre, 661

Molecular Structure and Shape

Cross-linking reaction in butadiene polymerization, M. Morton and P. P. Salatiello, 225
Determination of microgel in GR-S rubber, A. I. Medalia and I. M. Kolthoff, 433
General nature of the extension of structure transverse to collagen fibril axes, Orvil E. A. Bolduan and Richard S. Bear, 271
Molecular weight of polyacrylic and polymethacrylic acid, A. Katchalsky and H. Eisenberg, 145
Osmotic, viscometric, and turbidity studies of polystyrene in mixed solvents, Santi R. Palit, G. Colombo, and H. Mark, 295
Sedimentation analysis of an extract of the prekeratinous layers of skin, E. H. Mercer and Bertil Olofsson, 261
Structure and thermodynamics of elastomeric microgel, A. I. Medalia, 423

Molecular Weight and Molecular Weight Distribution

Calculation of distribution of molecular weight of GR-S from viscosity and mercaptan consumption data, E. J. Meehan, 255
Determination of molecular weight of high polymers by measurement of osmotic pressures at low concentrations, G. A. Gilbert, C. Graff-Baker, and C. T. Greenwood, 585
Elastoviscous properties of polyisobutylene. II. Relaxation of stress in whole polymers of different molecular weights at low temperatures, G. M. Brown and A. V. Tobolsky, 165
Influence of molecular weight distribution on the intrinsic viscosity-molecular weight relationship, H. P. Frank and J. W. Breitenbach, 609
Measurement of molecular weight of polyethylene by Menzies-Wright boiling point elevation method, H. Morawetz, 117
Modified osmotic balance, C. R. Masson and H. W. Melville, 21
Molecular weight of polyacrylic and polymethacrylic acid, A. Katchalsky and H. Eisenberg, 145
Osmotic measurements on polystyrene solutions. *Letter to the Editors*, H. P. Frank and H. Mark, 243
Viscosity-molecular weight relationship for cellulose acetate in acetone, Howard J. Philipp and Carold F. Bjork, 549

Osmotic Pressure

Determination of molecular weight of high polymers by measurement of osmotic pressures at low concentrations, G. A. Gilbert, C. Graff-Baker, and C. T. Greenwood, 585
Molecular weight of polytrifluorochloroethylene by high temperature osmometry. *Letter to the Editors*, H. S. Kaufman and M. S. Muthana, 251
Modified osmotic balance, C. R. Masson and H. W. Melville, 21
New dynamic method for osmotic pressure measurements, Howard J. Philipp, 371
Role of the semipermeable membrane in the osmotic molecular weight determination of cellulose acetate, Howard J. Philipp and Carold F. Bjork, 383
Some improvements on the osmotic balance, Bertil Enoksson, 575

Physical Properties

Adhesion of polyethylene and polystyrene to steel, Gerard Kraus and James E. Manson, 625

Crystallinity of celluloses after treatment with sodium hydroxide (mercerization), P. H. Hermans and A. Weidinger, 533

Elastoviscous properties of polyisobutylene. II. Relaxation of stress in whole polymers of different molecular weights at low temperatures, G. M. Brown and A. V. Tobolsky, 165

Propriétés de dilatation thermique des polyamides, F. Ecochard, 601

Rate of sorption of organic vapors by films of cellulose acetate, Leo Mandelkern and F. A. Long, 457

Rheology of thermoplastics. II. Recoverable and nonrecoverable deformations of polystyrene between 90 and 240°C. as a function of molecular weight, R. Buchdahl, L. E. Nielsen, and E. H. Merz, 403

Transition temperatures of plasticized material and copolymer systems, L. E. Nielsen, R. E. Pollard, and E. McIntyre, 661

Treatment of wood with ultrasonic waves, Nils Gralén and Stig Berg, 503

Polyelectrolytes

Molecular weight of polyacrylic and polymethacrylic acid, A. Katchalsky and H. Eisenberg, 145

Polyelectrolytes. VII. Viscosities of derivatives of poly-2-vinylpyridine, William N. Maclay and Raymond M. Fuoss, 511

Polyelectrolytes. VIII. Quaternized polyesters of succinic anhydride and methyldiethanolamine, Raymond M. Fuoss and David Edelson, 523

Polysoaps. I. Viscosity and solubilization studies on an *n*-dodecyl bromide addition compound of poly-2-vinylpyridine, Ulrich P. Strauss and Earl G. Jackson, 649

Viscosity function of hyaluronic acid as a polyelectrolyte. *Letter to the Editors*, E. A. Balazs and T. C. Laurent, 665

Polymers, New

New monomers of the quinoid type and their polymers, M. Szwarc, 319

Copolymers of benzalacetophenone. *Letter to the Editors*, C. S. Marvel, John E. McCorkle, Tetsuo Roy Fukuto, and John C. Wright, 776

Polyalkylene sulfides. VI. New polymers capable of cross-linking, C. S. Marvel and A. H. Markhart, Jr., 711

Polyalkylene sulfides. VIII. Polymers from 4-vinylcyclohexene, C. S. Marvel and C. W. Roberts, 717

Polyalkylene sulfides with rubberlike properties, C. S. Marvel and H. E. Baumgarten, 127

Polyelectrolytes. VIII. Quaternized polyesters of succinic anhydride and methyldiethanolamine, Raymond M. Fuoss and David Edelson, 523

Synthesis of mixed cellulose esters containing phosphorus, C. S. Marvel and Bernard R. Bluestein, 351

Polymerization, Addition

Cationic polymerization of butadiene and copolymerization of butadiene and styrene, C. S. Marvel, R. Gilkey, C. R. Morgan, J. F. Noth, R. D. Rands, Jr., and Charles H. Young, 483

Ionic polymerization of mono-olefinic hydrocarbons at low temperature. Characterization of the alpha-methylstyrene-sulfuric acid system, R. G. Heiligmann, 155

Polyelectrolytes. VI. Viscosities of 4-polyvinylpyridine hydrochloride in methanol at 25°, Raymond M. Fuoss and William N. Maclay, 305

Polymerization, Catalysts and Mechanisms (see Polymers, New)

Azo-bis nitriles. II. Use of 2,2′-azo-bis-isobutyronitrile as a catalyst for the polymerization of styrene, C. G. Overberger, Paul Fram, and Turner Alfrey, Jr., 539

Copolymerization of butadiene and styrene in the oxygen 1-alkanesulfinic acid system, C. S. Marvel and N. A. Meinhardt, 733

Copolymerization of butadiene-styrene by means of an oxygen, dodecyl mercaptan, and iron and cobalt pyrophosphates system, C. S. Marvel and O. Keplinger, 83

Electrolytic initiation of polymerization, I. M. Kolthoff and Louis L. Ferstandig, 563

Emulsion polymerization of styrene. I. A reproducible system, P. T. Yang and R. L. Guile, 681

Emulsion polymerization of styrene. II. Effect of agitation, S. R. Shunmukham, V. L. Hallenbeck, and R. L. Guile, 691

Free energies of formation of hydrocarbon free radicals. I. Application to the mechanism of polythene synthesis, W. M. D. Bryant, 359

Friedel-Crafts polymerizations. III. Medium effects in the Friedel-Crafts polymerization of styrene, Joseph George and Harry Wechsler, 725

Hydroperoxides as initiators of emulsion polymerizations at low temperatures, J. E. Wicklatz, T. J. Kennedy, and W. B. Reynolds, 45

New oxidants for initiation of emulsion polymerization in antifreeze recipes at −10°C., C. F. Fryling and A. E. Follett, 59

Polyalkylene sulfides with rubberlike properties, C. S. Marvel and H. E. Baumgarten, 127
Polymerization of allyl compounds. V. Inhibition by nitro compounds, George S. Hammond and Paul D. Bartlett, 617
Redox recipes. III. Use of various sugars at 0° and 30°C. in a cumene hydroperoxide-iron-sugar recipe, I. M. Kolthoff, A. I. Medalia, and M. Youse, 93
Redox recipes. IV. Dihydroxyacetone recipes at 0°, I. M. Kolthoff and A. I. Medalia, 189
Redox recipes. V. The redox system, ferrous sulfide-cumene hydroperoxide, I. M. Kolthoff and A. I. Medalia, 209
Studies on rate of emulsion polymerization of butadiene-styrene (75:25) as a function of amount and kind of emulsifier used. III. Effect of amount of soap on rate of polymerization, I. M. Kolthoff, E. J. Meehan, and C. W. Carr, 73

Polymer News

Polymer News, 252

Proteins

Denaturation of plant proteins. IV. Increase in reducing capacity, viscosity, and optical rotation upon denaturation with guanidine hydrochloride, B. Jirgensons, 477
General nature of the extension of structure transverse to collagen fibril axes, Orvil E. A. Bolduan and Richard S. Bear, 271
Sedimentation analysis of an extract of the prekeratinous layers of skin, E. H. Mercer and Bertil Olofsson, 261
Sedimentation and diffusion studies on a derivative of wool keratin, E. H. Mercer and Bertil Olofsson, 671

Reviews

Advances in colloid science, Vol. III, J. W. Williams, 381
Chemie der Phenolharze, T. S. Carswell, 780
Chemistry and industry of starch, M. L. Wolfrom, 254
Introduction to textile chemistry, Milton Harris, 779
Paper base laminates, Robert J. Seidl, 669
Praktikum der Kolloidchemie, H. P. Frank, 780
Proceedings of the international colloquium on macromolecules, Amsterdam, 1949, F. R. Eirich, 253
The physical chemistry of dyeing, L. G. Ray, Jr., 779

Rubbers

Determination of microgel in GR-S rubber, I. Medalia and I. M. Kolthoff, 433
Polyalkylene sulfides with rubberlike properties, C. S. Marvel and H. E. Baumgarten, 127
Preparation of cyclized rubber from natural rubber latex, G. J. Van Veerson, 29
Structure and thermodynamics of elastomeric microgel, A. I. Medalia, 423
Tetramethylthiuram disulfide vulcanization of extracted rubber. IV. Behavior of rubber as an acid, D. Craig, A. E. Juve, and W. L. Davidson, 13

Solutions and Solution Properties

Determination of the concentration of high polymer solutions, N. Grassie, 643
Osmotic measurements on polystyrene solutions. *Letter to the Editors*, H. P. Frank and H. Mark, 243
Osmotic, viscometric, and turbidity studies of polystyrene in mixed solvents, Santi R. Palit, G. Colombo, and H. Mark, 295
Polyelectrolytes. IX. Light scattering from solutions of poly-4-vinyl-*N*-*n*-butylpyridinium bromide, Raymond M. Fuoss and David Edelson, 767
Polysoaps. I. Viscosity and solubilization studies on an *n*-dodecyl bromide addition compound of poly-2-vinylpyridine, Ulrich P. Strauss and Earl G. Jackson, 649
Rate of sorption of organic vapors by films of cellulose acetate, Leo Mandelkern and F. A. Long, 457
Solubility of crystallized polymers, G. J. Van Amerongen, 471
Structure and thermodynamics of elastomeric microgel, A. I. Medalia, 423
Swelling of polyvinyl alcohol in water, W. J. Priest, 699
Viscosity–molecular weight relationship for cellulose acetate in acetone, Howard J. Philipp and Carold F. Bjork, 549

Thermodynamics and Statistics

Free energies of formation of hydrocarbon free radicals. I. Application to the mechanism of polythene synthesis, W. M. D. Bryant, 359
Heat of crystallization of cellulose, E. Calvet and P. H. Hermans, 33
Solubility of crystallized polymers, G. J. Van Amerongen, 471
Structure and thermodynamics of elastomeric microgel, A. I. Medalia, 423

Viscosity

Calculation of distribution of molecular weight of GR-S from viscosity and mercaptan consumption data, E. J. Meehan, 255
Influence of a magnetic field on the viscosity of polyphenyl. *Letter to the Editors*, G. A. Edwards and G. Goldfinger, 125
Influence of molecular weight distribution on the intrinsic viscosity–molecu-

lar weight relationship, H. P. Frank and J. W. Breitenbach, 609
Polyelectrolytes. VI. Viscosities of 4-polyvinylpyridine hydrochloride in methanol at 25°, Raymond M. Fuoss and William N. Maclay, 305
Polyelectrolytes. VII. Viscosities of derivatives of poly-2-vinylpyridine, William N. Maclay and Raymond M. Fuoss, 511
Sulfonation of natural rubber, G. J. Van Amerongen, 633
Viscosity function of hyaluronic acid as a polyelectrolyte. *Letter to the Editors*, E. A. Balazs and T. C. Laurent, 665
Viscosity–molecular weight relationship for cellulose acetate in acetone, Howard J. Philipp and Carold F. Bjork, 549

Vulcanization and Cross-Linking

Cross-linking reaction in butadiene polymerization, M. Morton and P. P. Salatiello, 225
Stoichiometry of vulcanization with sulfur, R. L. Zapp, R. H. Decker, Margaret S. Dyroff, and Harriet A. Rayner, 331
Tetramethylthiuram disulfide vulcanization of extracted rubber. II. Structure of radioactive tetramethylthiuram disulfide, D. Craig, W. L. Davidson, A. E. Juve, and I. G. Geib, 1
Tetramethylthiuram disulfide vulcanization of extracted rubber. III. Short-path distillation of TMTD and its reaction products from rubber, D. Craig, A. E. Juve, and W. L. Davidson, 7
Tetramethylthiuram disulfide vulcanization of extracted rubber. IV. Behavior of rubber as an acid, D. Craig, A. E. Juve, and W. L. Davidson, 13
Tetramethylthiuram disulfide vulcanization of extracted rubber. V. Low molecular products and the mechanism of zinc oxide activation, D. Craig, W. L. Davidson, and A. E. Juve, 177

X-Ray Investigations

Crystallinity of celluloses after treatment with sodium hydroxide (mercerization), P. H. Hermans and A. Weidinger, 533
General nature of the extension of structure transverse to collagen fibril axes, Orvil E. A. Bolduan and Richard S. Bear, 271
Oriented overgrowth on cold-drawn polymers, R. B. Richards, 397
X-ray pattern of polystyrene as a function of temperature. *Letter to the Editors*, S. Krimm and A. V. Tobolsky, 667